

Version 2.0

Issue date: 07/29/2019

Revision date: 04/28/2025

SDS record number: C555-TCO-010-132031

1. Product and Company Identification

Material name Inland PC
CAS # See section 3
Product code -
Product use 3D Printing Filament
Manufacturer/Supplier
Supplier(Manufacturer): International Products Sourcing Group Inc.
Address: 4119 Leap Road, Hilliard, OH 43026, USA
Contact person(E-mail): support@microcenter.zendesk.com
Telephone: +1 (614) 850-3670
Fax: -
Emergency telephone Number: +1 (614) 850-3670

2. Hazards identification

GHS classification

Physical hazards Not classified
Health hazards Not classified
Environmental hazards Hazardous to the aquatic environment, acute hazard Category 1

GHS label elements

Hazard Pictograms



Signal word Warning
Hazard statement Very toxic to aquatic life

Precautionary statement

Prevention Avoid release to the environment.
Response Collect spillage.
Storage Not applicable.
Disposal Dispose of contents/container in accordance with local regulation.
Other hazards Not available.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Polycarbonate	25037-45-0	> 90%

4. First Aid Measures

First aid procedures

Eye contact None expected to require first aid measures. Flush with running water for at least 15 minutes. If irritation persists get medical attention.
Skin contact None expected to require first aid measures. Wash thoroughly with soap and water. Get medical attention in the unlikely event that irritation persists.
Inhalation None expected to require first aid measures. If breathed in, remove victim to fresh

air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical attention.

Ingestion

Immediate first aid is not likely to be required. A physician or poison control center can be contacted for advice.

Notes to physician

Treat symptoms.

5. Fire Fighting Measure

Flammable properties

Not available.

Extinguishing media

Suitable extinguishing media

Water spray, alcohol-resistant foam, dry powder, or carbon dioxide.

Unsuitable extinguishing media

Avoid using DC water to extinguish fire, so as to avoid material splashes and fire spread.

Firefighting equipment/instructions

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Carbon oxides.

6. Accidental Release Measures

Personal precautions

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Avoid disposing into drainage/sewer system or directly into the aquatic environment.

Methods for cleaning up

Sweep up and shovel into suitable containers. Clean up affected area.

7. Handling and Storage

Handling

Ensure good ventilation/exhaustion at the workplace. Wash thoroughly after handling.

Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. Exposure Controls / Personal Protection

Occupational exposure limits

This substance has no ingredients that have PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Individual protection measures, such as personal protective equipment:

Eye / face protection

No special protection required.

Skin protection

No special protection required.

Respiratory protection

No special protection required.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

9. Physical & Chemical Properties

Appearance

Physical state

Solid

Form

Solid

Color

White

Odor

Not available

Odor threshold

Not available

pH

Not available

Vapor pressure	Not available
Vapor density	Not available
Boiling point	Not available
Melting point/Freezing point	220°C
Solubility (water)	Insoluble
Relative Density	1.20
Flash point	Not available
Partition coefficient	Not available
Flammability limits in air, upper, %by volume	Not available
Flammability limits in air, lower, % by volume	Not available
Auto-ignition temperature	Not available
VOC	Not available
Percent volatile	Not available
Molecular Formula	Not available
Molecular Weight	Not available
Other data	
Viscosity	Not available
Dissociation constant	Not available

10. Chemical Stability & Reactivity Information

Reactivity	The substance is stable under normal storage and handling conditions.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.
Possibility of hazardous reactions	No hazardous reactions known.

11. Toxicological Information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat):	Not available
LD50(Dermal, Rabbit):	Not available
LC50(Inhalation, Rat):	Not available
Skin corrosion/Irritation:	Not classified
Serious eye damage/irritation:	Not classified
Respiratory or skin sensitization:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT- single exposure:	Not classified
STOT-repeated exposure:	Not classified
Aspiration hazard:	Not classified

12. Ecological Information

Toxicity:

Acute toxicity	Time	Species	Method	Evaluation	Remarks

LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Not available.
Bioaccumulative potential: Not available.
Mobility in soil: Not available.
Results of PBT&vPvB assessment: Not available.
Other adverse effects: Not available.

13. Disposal Considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number 3077
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Polycarbonate)
Hazard class 9
Packing group III
Environmental hazards Yes

IATA

UN number 3077
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Polycarbonate)
Transport hazard class(es) 9
Packing group III
Environmental hazards Yes

IMDG

UN number 3077
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Polycarbonate)
Transport hazard class(es) 9
Packing group III
Environmental hazards Yes

15. Regulatory Information

US federal regulations

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other Information

HMIS® ratings

Health: 0
Flammability: 1
Physical hazard: 0

NFPA ratings

Health: 0
Flammability: 1
Instability: 0

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.

Issue date

07-29-2019

Author: Hangzhou C&K Testing Technic Co., Ltd.

Website: www.cirs-ck.com

Tel: 0571-89900715

Email: test@cirs-group.com



Reference Information

SKU	Product Code Description
230680	F/inland/PC/1.00kg/1.75mm/TRANSPARENT